



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Application of

Isabel N. GONZALEZ

Serial No. 10/765,995

Art Unit 3736

Filed: January 29, 2004

For: NASAL DRIP CONTROL DEVICES

RESPONSE

To the Director of the Patent and Trademark Office


Sir:

In response to the attached Notice to File Corrected Application Papers mailed June 14, 2004, kindly accept and enter the attached replacement drawing sheets of Figures I-V.

NO NEW MATTER HAS BEEN ADDED BY THIS AMENDMENT.

Respectfully,

James C. Wray, Reg. No. 22,693
1493 Chain Bridge Road, Suite 300
McLean, Virginia 22101
Tel: (703) 442-4800
Fax: (703) 448-7397



UNITED STATES PATENT AND TRADEMARK OFFICE


UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NUMBER	FILING OR 371 (c) DATE	FIRST NAMED APPLICANT	ATTORNEY DOCKET NUMBER
10/765,995	01/29/2004	Isabel N. Gonzalez	

Amelia B. Yarbrough
PMB 250
2101 Jefferson - Davis Highway
Arlington, VA 22202

CONFIRMATION NO. 2949

FORMALITIES LETTER



Date Mailed: 06/14/2004

NOTICE TO FILE CORRECTED APPLICATION PAPERS

Filing Date Granted

An application number and filing date have been accorded to this application. The application is informal since it does not comply with the regulations for the reason(s) indicated below. Applicant is given TWO MONTHS from the date of this Notice within which to correct the informalities indicated below. Extensions of time may be obtained by filing a petition accompanied by the extension fee under the provisions of 37 CFR 1.136(a).

The required item(s) identified below must be timely submitted to avoid abandonment:

- Replacement drawings in compliance with 37 CFR 1.84 and 37 CFR 1.121 are required. The drawings submitted are not acceptable because:
 - The drawings have a line quality that is too light to be reproduced (weight of all lines and letters must be heavy enough to permit adequate reproduction) or text that is illegible (reference characters, sheet numbers, and view numbers must be plain and legible) see 37 CFR 1.84(l) and (p)(1)); See Figure(s) 5.

Replies should be mailed to: Mail Stop Missing Parts
Commissioner for Patents
P.O. Box 1450
Alexandria VA 22313-1450

A copy of this notice MUST be returned with the reply.

B. To

Customer Service Center
Initial Patent Examination Division (703) 308-1202

PART 3 - OFFICE COPY